SDS

GHS Safety Data Sheet

FT72050 ULTRA-HIGH PERFORMANCE FOAM LAMINATING ADHESIVE

SDS Number: GLUE-001

Revision Date: 05/31/2015 Page 1 of 5

PRODUCT AND COMPANY IDENTIFICATION

Manufacturered For:

Adhesive Solutions, Inc. 10106 Romandel Ave. Santa Fe Springs, CA 90670

Phone:	800.669.8871
Fax:	562.444.6088 Efax
Email:	sales@stickibiz.com
Web:	www.adhesivesolutions.com

Product Name:FT72050 ULTRA-HIGH PERFORMANCE FOAM LAMINATING ADHESIVERevision Date:05/31/2015SDS Number:GLUE-001CAS Number:MIXTUREProduct Code:FT72050Product Use:WATER-BASED ADHESIVE

HAZARDS IDENTIFICATION

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Classifications: Health, Respiratory or skin sensitization, 1 Skin

GHS Phrases:

H317 - May cause an allergic skin reaction

GHS Precautionary Statements:

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P332 - If skin irritation occurs: Get medical attention.

P302+350 - IF ON SKIN: Gently wash with soap and water.

Although this product is not considered hazardous according to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200, this SDS contains valuable information as to the safe handling, storage and use of this product. This SDS should be made available for employees and other users of this product.

COMPOSITION/INFORMATION ON INGREDIENTS

SDS

GHS Safety Data Sheet

FT72050 ULTRA-HIGH PERFORMANCE FOAM LAMINATING ADHESIVE

SDS Number: GLUE-001

Ingradiante

Revision Date: 05/31/2015 Page 2 of 5

Cas # Percentage	Chemical Name	
25213-24-5 1-5%	Polyvinylalcohol	
PROPRIETARY 5-10 %	Ethyl p-toluene sulfonamide	

FIRST AID MEASURES

Inhalation: Skin Contact:	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. Promptly flush skin with water until all chemical is removed. Wash with soap and water. Remove contaminated clothing and wash before reuse.
Eye Contact:	Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Get immediate medical attention.
Ingestion:	Seek immediate medical attention. Do not induce vomiting unless directed to do so by a physician. Never Give anything by mouth to an unconscious person. If vomitting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.

FIRE FIGHTING MEASURES

Suitable extinguishing media: water spray, dry powder, foam Hazards during fire-fighting: In the event of a fire, Carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxide (NOx) can be released. Irritating and toxic gases or fumes may be released during a fire. Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear. Further information: The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

ACCIDENTAL RELEASE MEASURES

Personal precautions:

Use personal protective clothing.

Environmental precautions:

No special environmental precautions required. Do not discharge into drains/surface waters/groundwater.

Cleanup:

Spills should be contained, solidified, and placed in suitable containers for disposal.

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder). Dispose of absorbed material in accordance with regulations.

For large amounts: contain and collect liquid.

Dispose of according to Federal, State and local government regulations.

HANDLING AND STORAGE



GHS Safety Data Sheet

FT72050 ULTRA-HIGH PERFORMANCE FOAM LAMINATING ADHESIVE

SDS Number: GLUE-001	Revision Date: 05/31/2015 Page 3 of 5
Handling Precautions:	General advice:
	Prevent contact with eyes, skin, and clothing. Do not breathe vapor and mist. Wash thoroughly after handling.
Storage Requirements:	General advice:
EVE	Keep container tightly closed and in a cool place. Store protected against freezing.
EXPO	DSURE CONTROLS/PERSONAL PROTECTION
Engineering Controls:	Employers should complete an assessment of all workplaces to determine the need for and selection for
Personal Protective Equip:	exposure controls and protective equipment for each task performed. Respiratory protection:
	Wear respiratory protection if ventilation is inadequate.
	Hand protection:
	Chemical resistant protective gloves
	Eye protection:
	Tightly fitting safety goggles (chemical goggles) and face shield.
	Body protection:
	Impermeable protective clothing

General safety and hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:
Physical State:
Spec Grav./Density:
Viscosity:
Boiling Point:
VOC:
Flammability:

white Liquid 1.11 g/m3 9.03 LBS/GAL 5000cps (77F) 100 degree C .09% Information applies to the solvent not applicable

Odor:mildSolubility:miscibleFreezing/Melting Pt.:0 degree C

STABILITY AND REACTIVITY

Stability: Conditions to Avoid: Hazardous Decomposition:

Stable Extremes of temperatures. Stable under normal conditions

TOXICOLOGICAL INFORMATION

Hazardous Component(s): ethyl p-toluene solfonamide LD50S AND LC50S NONE IMMEDIATE AND DELAYED HEALTH EFFECTS IRRITANT, ALLERGEN

ECOLOGICAL INFORMATION



GHS Safety Data Sheet

FT72050 ULTRA-HIGH PERFORMANCE FOAM LAMINATING ADHESIVE

SDS Number: GLUE-001

Revision Date: 05/31/2015 Page 4 of 5

DISPOSAL CONSIDERATIONS

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. This product is not RCRA hazardous waste when discarded. Processing, use, or contamination of this product may change the hazard classification and waste management options.

Container disposal: Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

TRANSPORT INFORMATION

DOT Class: Not regulated Land transport USDOT Not classified as a dangerous good under transport regulations Sea transport IMDG Not classified as a dangerous good under transport regulations Air transport IATA/ICAO Not classified as a dangerous good under transport regulations

REGULATORY INFORMATION

United States Regulatory Information:

TSCA 8 (b) Inventory Status: All components are listed or are exempt on the Toxic Substances Control Act Inventory.

TSCA 12 (b) Export Notification: None

CERCLA/SARA Section 302 EHS: None CERCLA/SARA Section 311/312: None CERCLA/SARA Section 313: None

California Propostion 65: This product contains a chemical known in the State of California to cause cancer

REGULATORY KEY DESCRIPTIONS

GHS Safety Data Sheet

FT72050 ULTRA-HIGH PERFORMANCE FOAM LAMINATING ADHESIVE

SDS Number: GLUE-001

Revision Date: 05/31/2015 Page 5 of 5

TSCA = Toxic Substances Control Act CERCLA = Superfund clean up substance CSWHS = Clean Water Act Hazardous substances EHS302 = Extremely Hazardous Substance EPCRAWPC = EPCRA Water Priority Chemicals HAP = Hazardous Air Pollutants MASS = MA Massachusetts Hazardous Substances List NJHS = NJ Right-to-Know Hazardous Substances OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances SARA313 = SARA 313 Title III Toxic Chemicals TXAIR = TX Air Contaminants with Health Effects Screening Level

SDS

OTHER INFORMATION

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).